



STATE OF DELAWARE
DEPARTMENT OF TRANSPORTATION
PO BOX 778
DOVER, DELAWARE 19903

JACK MARKELL
GOVERNOR

JENNIFER COHAN
SECRETARY

VIA WEBSITE POSTING

(302) 760-2030
FAX (302) 739-2254

June 2, 2016

Contract No. T201480107.02
Statewide Fabric Salt Barns Open-End FY 17-19
Statewide

Ladies and Gentlemen:

Enclosed is Addendum No. 2 for the referenced contract consisting of the following:

1. The Bid Proposal Cover, revised, to be substituted for the same page in the Proposal.
2. One (1) page, Appendix A-Technical Specifications, page 133420-9 revised, to be substituted for the same page in the Proposal.

Please note the revision listed above and submit your bid based upon this information.

Sincerely,

signature on file

Robert A. Kovacs
Competitively Bid Contracts Coordinator

STATE OF DELAWARE



DEPARTMENT OF TRANSPORTATION

BID PROPOSAL

for

CONTRACT T201480107.02

STATEWIDE FABRIC SALT BARNs OPEN-END FY 17-19

STATEWIDE

ADVERTISEMENT DATE: May 2, 2016

**PROSPECTIVE BIDDERS ARE ADVISED THAT THERE WILL BE A PRE-BID MEETING THURSDAY
MAY 19, 2016 AT 2:00 P.M. IN THE DeIDOT ADMINISTRATION BUILDING,
800 BAY ROAD, DOVER, DELAWARE, 19903.**

COMPLETION TIME: 1,095 Calendar Days

SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION
DELAWARE DEPARTMENT OF TRANSPORTATION
AUGUST 2001

Bids will be received in the Bidder's Room at the Delaware Department of Transportation's Administration Building, 800 Bay Road, Dover, Delaware until 2:00 P.M. local time June 14, 2016

1.12 WARRANTY

- A. Warranty on fabric membrane: Manufacturer agrees to repair or replace fabric membrane that show evidence of tearing, failure at lap joints, failure of seals, failure of connections, or manufacturing or installation defects for a period of 20 years from substantial completion.
- B. Special Warranty on fabric membrane Finishes: Manufacturer agrees to repair finish or replace fabric membrane that show evidence of deterioration of factory-applied finishes within specified warranty period.
 - 1. Exposed fabric membrane Finish: Deterioration includes, but is not limited to, the following:
 - a. Color fading more than 5 Hunter units when tested according to ASTM D 2244.
 - b. Chalking in excess of a No. 8 rating when tested according to ASTM D 4214.
 - c. Cracking, tearing, checking, peeling.
 - 2. Finish Warranty Period: 20 years from date of Substantial Completion.
- C. Special Weather-tightness Warranty for fabric membrane cover: Manufacturer agrees to repair or replace fabric membrane assemblies that leak or otherwise fail to remain weathertight within specified warranty period.
 - 1. Warranty Period: 20 years from date of Substantial Completion.
- D. Warranty on Frame and Structure: Manufacturer agrees to repair or replace frame and structure that shows evidence of excessive deflection, failure at connections, failure of seals, or manufacturing or installation defects for a period of 50 years from substantial completion.
- E. Warranty on Coatings: Manufacturer agrees to repair or replace coatings, remove corrosion, and repair or replace items items that shows evidence of coating failure by excessive corrosion, or manufacturing or installation defects for a period of 20 years from substantial completion.

PART 2 - MATERIALS

2.1 MANUFACTURERS

- A. Source Limitations: Obtain frame salt barn system components, including primary and secondary framing and membrane fabric, accessories and assemblies, from single source from single manufacturers. Available manufacturer's include but are not limited to:
 - 1. Clear Span Fabric Structures
1395 John Fitch Blvd,
South Windsor, CT 06074
(800) 603-4445
 - 2. Legacy Building Solutions: Clear Span Fabric Structures
19500 Country Road 142
South Haven, MN 55382
(320) 259-0087
 - 3. Accu-Steel, Inc.
PO Box 201
Templeton, IA 51463
(402) 206-5848
 - 4. Or Approved Equal